

"Vasile Alecsandri" University of Bacău
Faculty of Sciences
Scientific Studies and Research
Series Mathematics and Informatics
Vol. 21 (2011), No. 1, 193-204

ADAPTABLE SOFTWARE - MODULAR EXTENSIBLE MONADIC ENTRY-POINTLESS TYPE CHECKER IN HASKELL

DAN POPA

Abstract. The goal of this paper is to investigate the use of a software technology – the pseudoconstructors over monadic values (structures capable of simultaneously representing both syntax and semantics) – to build modular entry-pointless type checkers using the VHLL Haskell. A template used by almost all the modules of the modular monadic entry-pointless type checker is also revealed.

1. THE ACTUAL SITUATION

The *pseudoconstructors* over monadic values was used by The Rodin Project, (available from on [7]) in order to build modular entry-pointless monadic interpreters and evaluators. The notion comes from some papers like [4] and it also have been introduced by a dedicated page of The Haskell Community's Website [3] and included – as a way to promote the concept – in the English Version of Wikipedia.

What is known: the pseudoconstructors (a sort of functions used to replace the usual data declarations in Haskell and provide modularity) offered a way of solving Wadlers's Expression Problem. The fact was checked and confirmed by Prof. Philip Wadler, by e-mail. Some questions concerning their properties and applications was raised by Prof. Simon Peyton Jones, related to code generation and optimization in a private mail, confirming the existence of such branch in the domain of functional interpretation and monadic semantics.

Key words and phrases: pseudoconstructor(s), modular monadic typechecker in Haskell

(2000) Mathematics Subject Classification: 68Q45,68Q55,18C50

I wish to thank you, all, for the time you had spend checking my papers, notices and e-mails.

As a result, in an actually defended Ph.D thesis [5] a supplementary chapter (Chap 9, pp 140 – 155) was added, also concerning pseudoconstructors over monadic values (The small modules of the interpreter are called, self-evaluators, there) . Because further studies appears to be possible and due to the fact that Rodin is in fact a small mono-type modular language, the abilities of pseudoconstructors to be used as software components for adaptable modular monadic type-checkers have interested us.

Some points should be remind, because, in fact, the advantages of the pseudoconstructors are:

1. They are *simultaneously* syntactic structures of the terms and modular adaptable monadic representations of term's semantics.
 2. Due to the missing of (we say “unimportant”) *interpret* function – the common entry point of any interpreter like those presented in [6] the pseudoconstructors can be distributed across various modules of the project, so providing modularity which is crucial,for example, in natural language processing. [4], [5].
 3. Examining the do-notation as it used (see also below, in the case study or in the template area) , the monad used by semantic implementation is not fixed, remaining variable, and the programmers may use any monad to develop the system (including one produced by composition of Monad Transformers). The idea of monad replacement - in order to produce various semantics – was implemented in some papers by prof. P.Wadler, important being, for us, the [9]
 4. Pseudoconstructors,described in [3], may be used as implementation for modular trees (which are not declarable in Haskell using *data* declarations) .The fact that *data* declarations in Haskell are not modular can be found reading any Haskell manual, including the Haskell Report, [8]. As a consequence, Haskell programmers are forced to declare the whole syntax tree in one place, which is not modular.
- So, building a modular monadic typechecker (suitable for modular syntax typechecking) in Haskell is in fact a real challenge.

2. STARTING POINT

The type-checker is in fact a recursively defined semantic function of terms. We had started from one semantic function which can be found in [2] but other books and papers can also serve as a starting point. Because the semantic itself becomes modular, some (coherent) subsets of semantic rules can be good starting points too.

3. THE TEMPLATE

We had succeeded in providing a standard Haskell form for such a type checking semantics, which can be used. Here it is (this is not Haskell code):

```

structure :: (Monad m) => m Type -> ... -> m Type-> m Type
structure e1 e2 ... en
    = do { t1  <- e1 ;
          t2  <- e2 ;
          ...
          tn  <- en ;
          return ( proceed t1 t2 ... tn ) }
    where
        proceed t1 t2 ... tn | p1 && p2 ... && pn = f t1 t2 ... tn
        proceed t1 t2 ... tn | p1' && p2' ... && pn' = f' t1 t2 ... tn
        proceed _ _ _ ... _ = TypeError

```

Some notations should be explained:

- structure* - is the name of the syntactic structure, it may be simple or complex. Examples: constant, variable, operator, if0, lam, app, pair, prj, etc.
- m* - is the type variable left free for the use of the required monad.
- e1,...,en* - substructures of the syntactic structure
- ti <- ei* - entry-pointless monadic evaluators. Notice the missing of the *interp* (or *interpret*) function, which usually looks like:
type <- interpret ei context
- proceed* - the semantic rule provided for typechecking
- p1,...,pn,*
p1',...,pn' - predicates expressed in terms of types
- f, f' ...* - auxiliary functions, sometimes needed, sometimes not needed

This design was carefully chosen, many attempts was made before. The reader may eventually want to reimplement such semantics in order to struggle against some Haskell's limitation. A part of this problems are included in the case study below:

4. THE CASE STUDY

The semantic taken from [2] was the subject of our experiment and building procedure, following (as much as possible) according the above described template. Because the is a recursively defined set of terms, the semantic is also built starting from some simple cases, coresponding with the simplest terms. But, first of all, we have to define the set of type values:

5. THE TYPE VALUES

Actually, the values resulted from typechecking are also forming a union type , which is declared using an usual *data* declaration.

```
data Type = MyInt
          | TypeError
          | Arrow Type Type
          | Pair Type Type
          | BOperator Type Type Type
          deriving (Show, Eq)
```

which means we have had in mind the following situations:

1. Usual integer values.
2. Incorrect expressions. Note that an explanations, as a String, can also be needed and added.
3. A functional type, used in process of computing the type of lambda abstractions.
4. A product of types, used for pairs of expressions.
5. A special, auxiliary type used to simplify the implementation of the typescheme associated with binary operators.

The type values declared above will be comparable using the “==” operator, which is a need of the type-checking procedure. And all this values are declared “*showable*” ; this will help the debugging, because we wish to use an interactive Haskell system as Hugs or GHCi to show the results of evaluations. Generally speaking, fort the programmer, is a good choice to create showable types because any results of the functions returning such types will be printable, even without a special *printer* procedure. Of course, a commercial implementation may have a different set of requirements and may add a custom made printing - i.e. *show* – function for such types.

6. CONSTANT'S TYPE-CHECKING

The rules required by constants was first of all implemented as:

```
constant :: (Monad m) => Int -> m Type
constant j = return MyInt
```

Also, variants of those rules can be considered. The above one leads to the following evaluation, for example, using the list monad as support for the notation:

```
Main> (constant 1)::[Type]
[MyInt]
```

Basically, the rule is implementing the fact that any constant j will produce the `MyInt` type, if j belongs to `Int`.

Variable's type-checking

Both for small languages like Rodin, see [7], having a single simple type, `Int` or for typed lambda calculus systems we may want to use a rule like:

```
variable :: (Monad m) => t -> m Type
variable _ = return MyInt
```

This is allowing both kind of definitions (variable 'x') and (variable "x") to work fine. Of course, the next step will be to use a complete environment and a lookup function. But to simplify the example, this simple above definition is enough. So, we can evaluate:

```
Main> (variable 'x') ::[Type]
[MyInt]
```

Remark, a formula like:

```
variable :: (Monad m) => String -> m Type
variable s = return MyInt
```

can only work for variable having identifiers expressed as elements of the `String` type. The drawback of the previous solution is the fact that it can evaluate even strange sequences like: (variable (constant 1)). That is why `t` is replaced by `String`.

7. COMPOSED STRUCTURES: THE IF

Considering a sort of `if` accepting an `Int` instead of a `bool` (using the classic C language convention: 1 means `True`, 0 and others means `False`). This `if`, called `if0` is also used by [2]. It's implementation using monadic type is:

```
if0:: (Monad m) => m Type -> m Type -> m Type -> m Type
if0 e1 e2 e3 = do { tcond <- e1 ;
                  tau <- e2 ;
                  tau' <- e3 ;
                  return ( proceed tcond tau tau' ) }
              where
                  proceed MyInt t1 t2 | t1 == t2 = t1
                  proceed _ _ _ = TypeError
```

The “`proceed`” function was a bit modified, starting from the template.

According to the template, it may be :

```
proceed t1 t2 t3 | t2 == t3 && t1==MyInt = t2
proceed _ _ _ = TypeError
```

But both are equivalent, being evaluated to `TypeError` excepting the case when `t2 == t3` and `t1==MyInt`.

So, if it is written as below, it will match the template:

```
if0:: (Monad m) => m Type -> m Type -> m Type -> m Type
if0 e1 e2 e3 = do { tcond <- e1 ;
                  tau <- e2 ;
                  tau' <- e3 ;
                  return ( proceed tcond tau tau' ) }
              where
                  proceed t1 t2 t3 | t2 == t3 && t1==MyInt = t2
                  proceed _ _ _ = TypeError
```

Using any of this definitions we can evaluate:

```
Main> (if0 (plus) (constant 1) (constant 2)):: [Type]
[TypeError]
```

```
Main> (if0 (variable 'x') (constant 1) (constant 2)) :: [Type]
[MyInt]
```

8. THE BINARY OPERATORS

Various binary operations may require a specific treatment (at least because usual lambda calculus functions are single argument functions). The rule is implemented as:

```
operator :: (Monad m) => m Type -> m Type -> m Type -> m Type
operator p e1 e2 =
  do { tau1 <- e1 ;
      tau2 <- e2 ;
      tbop <- p;
      return (proceed tau1 tau2 tbop) }
  where
    proceed tau1 tau2 (BOperator t1 t2 trez)
      | tau1 == t1 && tau2 == t2 = trez
    proceed _ _ _ = TypeError
```

This also becomes similar with the template, considering the proceed function being:

```
proceed tau1 tau2 tbop | tau1 == f1( tbop) && tau2 == f2(tbop) = f3 (tbop)
proceed _ _ _ = TypeError
f1,f2,f3 being the projections used to decompose the (Boperator a b c)
structure on it's components. Also some operators should added , like:
```

```
plus :: (Monad m) => m Type
plus = return (BOperator MyInt MyInt MyInt)
```

As part of the research we also wanted to have the operator's type as a function from monadic values to monadic values ($m \text{ Type} \rightarrow m \text{ Type}$) but the Haskell language did not allow us to use something like:

```
plus :: (Monad m) => m Type -> m Type -> m Type
plus (return MyInt) (return MyInt) (return MyInt) = (return MyInt)
```

This is not allowed because the monad's return is not accepted as part in a pattern matching, because *return* is not a data constructor. As a consequence we have decided to use a special type for binary operators. Now we are able to evaluate something like:

```
Main> ( operator plus (constant 1) (constant 2)) :: [Type]
[MyInt]
```

Of course, ore complex terms representing expressions can be type-checked. Also note that a solution using separate operators and no “operator” rule is also possible, leading us to the possibility of evaluating something like:

```
Main> (plus (constant 1) (constant 2)) :: [Type]
[MyInt]
```

Because we had previously used something like this in [4] we did not insist on this case.

9. TYPE-CHECKING PAIRS

Pairs are an important part of the theory of computing, especially lambda calculus. See, for example the course [1] by Prof. Mike Gordon , freely available resource, on the internet.

Pairs can be composed and decomposed. So, projections can also be needed to extract both parts of the pairs. The main rule will be accompanied by others.

```
pair :: (Monad m) => m Type -> m Type -> m Type
pair e1 e2 = do { tau1 <- e1;
                 tau2 <- e2;
                 return ( Pair tau1 tau2 )}
```

This simple rule used the fact that every two types can be paired, so we don't need predicates at all. But in order to match the template a “proceed” function can be defined:

```
proceed tau1 tau2 = Pair tau1 tau2
```

or simply:

```
proceed = Pair
```

and the rule can also be written as:

```
pair :: (Monad m) => m Type -> m Type -> m Type
pair e1 e2 = do { tau1 <- e1;
                 tau2 <- e2;
                 return ( proceed tau1 tau2 )}
               where proceed tau1 tau2 = Pair tau1 tau2
```

So, we can evaluate and check pairs:

```
Main> (pair (constant 1) (constant 2)) :: [Type]
[Pair MyInt MyInt]
```

but also more complex pairs can be checked.

To implement the projections we need two other rules:

```
prj :: (Num t, Monad m) => t -> m Type -> m Type
prj 1 e = do { t1 <- e ;
              return (proceed t1) }
          where
              proceed (Pair tau1 tau2) = tau1
              proceed _ = TypeError

prj 2 e = do { t1 <- e ;
              return (proceed t1) }
          where
              proceed (Pair tau1 tau2) = tau2
              proceed _ = TypeError
```

Using the above rules we can check pairs:

```
Main> (prj 1 (pair (constant 1)(constant 2))) :: [Type]
[MyInt]
```

```
Main> (prj 1 (constant 1)) :: [Type]
[TypeError]
```

Also more complex pairs can be checked.

Remark: The deviation from the template is just apparent, and is produced by the way of identifying the first and the second part of a pair, using numbers. But the template can be strictly followed using:

```
first :: (Monad m) => m Type -> m Type
first e = do { t1 <- e ;
              return (proceed t1) }
          where
              proceed (Pair tau1 tau2) = tau1
              proceed _ = TypeError
```

```

second :: (Monad m) => m Type -> m Type
second e = do { t1 <- e ;
               return (proceed t1) }
           where
               proceed (Pair tau1 tau2) = tau2
               proceed _ = TypeError

```

Both these rules can be inserted in the system together with the old rules, and make evaluations like this possible:

```

Main> (first (pair (constant 1) (constant 2))) :: [Type]
[MyInt]
Main> (second (pair (constant 1) (constant 2))) :: [Type]
[MyInt]

```

10. TYPE-CHECKING ABSTRACTIONS AND APPLICATIONS

Important parts of a typed lambda calculus system, abstractions and applications can and should be checked. The rules are:

```

lam :: (Monad m) => m Type -> m Type -> m Type
lam x e1 = do { tau1 <- x;
               tau2 <- e1;
               return (Arrow tau1 tau2) }

```

In theory, functions can link any type with any type and produce a new type. A special value, `Arrow` is used as type of the abstractions. The applications are using another rule:

```

app :: (Monad m) => m Type -> m Type -> m Type
app e1 e2 = do { t1 <- e1 ;
                arg1 <- e2 ;
                return (proceed t1 arg1) }
           where
               proceed (Arrow tau1 tau2) arg1 | tau1 == arg1 = tau2
               proceed _ _ = TypeError

```

Using `lam` and `app` we can check terms like this:

```
Main> (lam (variable 'x') (operator plus (variable 'x') (constant 1))) ::[Type]
[Arrow MyInt MyInt]
```

```
Main> (app (lam (variable 'x') (operator plus (variable 'x') (constant 1)))
(constant 1) )::[Type]
[MyInt]
```

```
Main> (app (constant 1) (constant 2))::[Type]
[TypeError]
```

11. CONCLUSION

The use of the pseudoconstructors over monadic values, as defined in [3], over monadic values as part of a modular monadic type-checker is possible. We have also identified a template matching all rules involved, excepting the simplest cases. This kind of type-checker can be used for the implementation of adaptable modular languages. From our point of view it is an important contribution to the set of adaptable tools available for language constructions and – open problem - for natural language processing.

REFERENCES

- [1] Gordon, Mike ; **Introduction to Functional Programming**, 1996
<http://www.cl.cam.ac.uk/users/mjcg>
http://www.haskell.org/wikiupload/a/a5/Notes_Functional_programming.pdf
<http://www.haskell.org/wikiupload/2/2a/MikeGordon.pdf>
- [2] Louis Julien Guillemette, Stefan Monier, **Type Safe Code Transformation in Haskell**, Univ. of Montreal, Electronic Notes in Theoretical Computer Science, Elsevier Science, 174 (2007) 23-39
- [3] Dan Popa, Homepage of Pseudoconstructors over monadic values
http://www.haskell.org/haskellwiki/Pseudoconstructors_over_monadic_values
- [4] Dan Popa, **Modular evaluation and interpreters using monads and type classes in Haskell** , Studii si Cercetări Ştiinţifice, Seria Matematică, Univ. Bacău, (18) 2008, pp pag. 233 – 248
http://www.haskell.org/wikiupload/7/7d/POPA_D.pdf

[5] Dan Popa ; **Metode si tehnici de realizare a interpretoarelor adaptabile**, Univ. “Al.I.Cuza” Iasi, 2010, first published as Popa Dan; *Practica Interpretarii Monadice*, Matrix Rom Publishing House, 2008

[6] Sheng Liang, Paul Hudak, Mark Jones; **Monad Transformers and Modular Interpreters** , Yale University, Department of Computer Science , New Haven, Conference Record of POPL'95: 22nd ACM SIGPLAN-SIGACT Symposium on Principles of Programming Languages, San Francisco, CA, January 1995.

[7] The Rodin Project
<http://www.haskell.org/haskellwiki/Rodin>
<http://www.haskell.org/haskellwiki/RodinEn>

[8] Peyton Jones, Simon (editor); **Haskell 98 Language and Libraries The Revised Report**, Cambridge University Press (May 5, 2003)
<http://haskell.org/definition/haskell98-report.pdf>

[9] Wadler, Philip; **The essence of functional programming**, The 19th Symposium on Principles of Programming Languages, ACM, Albuquerque, New Mexico, 1992

Ro/Haskell Group,
“Vasile Alecsandri” University of Bacău,
Department of Mathematics and Informatics,
Bacău, Romania,
e-mail: danvpopa@ub.ro cc: popavdan@yahoo.com